


FESTO Fittings

Push-in Fittings QB, NPTs

- Inch Series




Push-in L-fitting QBL, Male thread with external hex




For Tubing O.D. [inch]		Part Number	Type
D1	D2		
UNF thread			
10-32	5/32	533286*	QBL-10-32-UNF-5/32-U
	3/16	533287*	QBL-10-32-UNF-3/16-U
	1/4	533288*	QBL-10-32-UNF-1/4-U
NPT thread			
1/8	5/32	533290*	QBL-1/8-5/32-U
	3/16	533291*	QBL-1/8-3/16-U
	1/4	533292*	QBL-1/8-1/4-U
	5/16	533293*	QBL-1/8-5/16-U
	3/8	567777*	QBL-1/8-3/8-U
1/4	5/32	567776*	QBL-1/4-5/32-U
	3/16	533294*	QBL-1/4-3/16-U
	1/4	533295*	QBL-1/4-1/4-U
	5/16	533296*	QBL-1/4-5/16-U
	3/8	533297 ^A	QBL-1/4-3/8-U
3/8	1/2	567775 ^A	QBL-1/4-1/2-U
	3/16	567763*	QBL-3/8-3/16-U
	1/4	533298 ^A	QBL-3/8-1/4-U
	5/16	533299 ^A	QBL-3/8-5/16-U
	3/8	533300 ^A	QBL-3/8-3/8-U
1/2	1/2	533301*	QBL-3/8-1/2-U
	3/8	533302 ^A	QBL-1/2-3/8-U
	1/2	533303 ^A	QBL-1/2-1/2-U

Push-in fitting QB, Male thread with external hex




For Tubing O.D. [inch]		Part Number	Type
D1	D2		
UNF thread			
10-32	5/32	533267*	QB-10-32-UNF-5/32-U
	3/16	533268*	QB-10-32-UNF-3/16-U
	1/4	533269*	QB-10-32-UNF-1/4-U
NPT thread			
1/8	5/32	533271*	QB-1/8-5/32-U
	3/16	533272*	QB-1/8-3/16-U
	1/4	533273*	QB-1/8-1/4-U
	5/16	533274*	QB-1/8-5/16-U
	3/8	567773*	QB-1/8-3/8-U
1/4	5/32	567772*	QB-1/4-5/32-U
	3/16	533275*	QB-1/4-3/16-U
	1/4	533276*	QB-1/4-1/4-U
	5/16	533277*	QB-1/4-5/16-U
	3/8	533278*	QB-1/4-3/8-U
3/8	1/2	567771*	QB-1/4-1/2-U
	1/4	533279*	QB-3/8-1/4-U
	5/16	533280*	QB-3/8-5/16-U
	3/8	533281 ^A	QB-3/8-3/8-U
	1/2	533282 ^A	QB-3/8-1/2-U
1/2	5/16	567770*	QB-1/2-5/16-U
	3/8	533283 ^A	QB-1/2-3/8-U
	1/2	533284 ^A	QB-1/2-1/2-U

Push-in long L-fitting QBLL, Male thread with external hex




For Tubing O.D. [inch]		Part Number	Type
D1	D2		
1/8	5/32	564668*	QBLL-1/8-5/32-U
	3/16	564669*	QBLL-1/8-3/16-U
	1/4	564670*	QBLL-1/8-1/4-U
	5/16	564671*	QBLL-1/8-5/16-U
1/4	5/32	564672*	QBLL-1/4-5/32-U
	3/16	564673*	QBLL-1/4-3/16-U
	1/4	564674*	QBLL-1/4-1/4-U
	5/16	564675*	QBLL-1/4-5/16-U
	3/8	564676 ^A	QBLL-1/4-3/8-U
3/8	1/2	564677 ^A	QBLL-1/4-1/2-U
	3/16	567766*	QBLL-3/8-3/16-U
	1/4	564678*	QBLL-3/8-1/4-U
	5/16	564679 ^A	QBLL-3/8-5/16-U
	3/8	564680 ^A	QBLL-3/8-3/8-U
1/2	1/2	564681 ^A	QBLL-3/8-1/2-U
	3/8	564682 ^A	QBLL-1/2-3/8-U
	1/2	564683 ^A	QBLL-1/2-1/2-U

Push-in fitting QB-...-I, Male thread with internal hex



For Tubing O.D. [inch]		Part Number	Type
D1	D2		
UNF thread			
10-32	3/16	572313*	QB-10-32-UNF-3/16-I-U
	1/4	572316*	QB-10-32-UNF-1/4-I-U
NPT thread			
1/8	5/32	572317*	QB-1/8-5/32-I-U
	3/16	572315*	QB-1/8-3/16-I-U
	1/4	572318*	QB-1/8-1/4-I-U
	5/16	572319*	QB-1/8-5/16-I-U
1/4	1/4	572320*	QB-1/4-1/4-I-U
	5/16	572321*	QB-1/4-5/16-I-U
3/8	3/8	572322*	QB-1/4-3/8-I-U
	5/16	572323*	QB-3/8-5/16-I-U
3/8	3/8	572324 ^A	QB-3/8-3/8-I-U
	1/2	572325 ^A	QB-3/8-1/2-I-U
1/2	1/2	572326 ^A	QB-1/2-1/2-I-U


^A Packaged in quantities of 5 * Packaged in quantities of 10

Push-in Y-connector QBY...T



For Tubing O.D. [inch]		Part Number	Type
D1	D2		
5/32	—	564772*	QBY-5/32T-U
3/16	—	564773*	QBY-3/16T-U
1/4	—	564774*	QBY-1/4T-U
5/16	—	564775*	QBY-5/16T-U
3/8	—	564776 ^a	QBY-3/8T-U
1/2	—	564777 ^a	QBY-1/2T-U
Reducing			
3/16	5/32	564818*	QBY-3/16T-5/32-U
1/4	5/32	564819*	QBY-1/4T-5/32-U
	3/16	564820*	QBY-1/4T-3/16-U
5/16	5/32	564821*	QBY-5/16T-5/32-U
	1/4	564822*	QBY-5/16T-1/4-U
3/8	1/4	564823*	QBY-3/8T-1/4-U
	5/16	564824*	QBY-3/8T-5/16U
1/2	5/16	564826 ^a	QBY-1/2T-5/16U
	3/8	564825 ^a	QBY-1/2T-3/8-U

Push-in fitting QBF, Female thread with external hex


For Tubing O.D. [inch]		Part Number	Type
D1	D2		
1/8	5/32	564636*	QBF-1/8-5/32-U
	3/16	564637*	QBF-1/8-3/16-U
	1/4	564638*	QBF-1/8-1/4-U
	5/16	564639*	QBF-1/8-5/16-U
	3/8	564640*	QBF-1/8-3/8-U
1/4	5/32	564642*	QBF-1/4-5/32-U
	3/16	564643*	QBF-1/4-3/16-U
	1/4	564644*	QBF-1/4-1/4-U
	5/16	564645*	QBF-1/4-5/16-U
	3/8	564646*	QBF-1/4-3/8-U
	1/2	564647 ^a	QBF-1/4-1/2-U
3/8	1/4	564648*	QBF-3/8-1/4-U
	5/16	567774*	QBF-3/8-5/16-U
	3/8	564649 ^a	QBF-3/8-3/8-U
	1/2	564650 ^a	QBF-3/8-1/2-U
1/2	5/16	564651*	QBF-1/2-5/16-U
	3/8	564652 ^a	QBF-1/2-3/8-U

Push-in Y-fitting, QBY, Male thread with external hex


For Tubing O.D. [inch]		Part Number	Type
D1	D2		
UNF thread			
10-32	5/32	564684*	QBY-10-32-UNF-5/32-U
	3/16	564685*	QBY-10-32-UNF-3/16-U
	1/4	564686*	QBY-10-32-UNF-1/4-U
NPT thread			
1/8	5/32	564687*	QBY-1/8-5/32-U
	3/16	564688*	QBY-1/8-3/16-U
	1/4	564689*	QBY-1/8-1/4-U
	5/16	564690*	QBY-1/8-5/16-U
	3/8	564691 ^a	QBY-1/8-3/8-U
1/4	5/32	564692*	QBY-1/4-5/32-U
	3/16	564693*	QBY-1/4-3/16-U
	1/4	564694*	QBY-1/4-1/4-U
	5/16	564695*	QBY-1/4-5/16-U
	3/8	564696 ^a	QBY-1/4-3/8-U
	1/2	564697 ^a	QBY-1/4-1/2-U
3/8	3/16	564699*	QBY-3/8-3/16-U
	1/4	564698*	QBY-3/8-1/4-U
	5/16	564700*	QBY-3/8-5/16-U
	3/8	564701 ^a	QBY-3/8-3/8-U
	1/2	564702 ^a	QBY-3/8-1/2-U
1/2	5/16	564703 ^a	QBY-1/2-5/16-U
	3/8	564704 ^a	QBY-1/2-3/8-U
	1/2	564705 ^a	QBY-1/2-1/2-U

Push-in X-connector QBX...T



For Tubing O.D. [inch]		Part Number	Type
D1	D2		
5/32	—	564778*	QBX-5/32T-U
3/16	—	564779*	QBX-3/16T-U
1/4	—	564780*	QBX-1/4T-U
5/16	—	564781 ^a	QBX-5/16T-U
3/8	—	564782 ^a	QBX-3/8T-U
1/2	—	564783 ^a	QBX-1/2T-U

Push-in connector QB...T


For Tubing O.D. [inch]		Part Number	Type
D1	D2		
5/32	—	564754*	QB-5/32T-U
3/16	—	564755*	QB-3/16T-U
1/4	—	564756*	QB-1/4T-U
5/16	—	564757*	QB-5/16T-U
3/8	—	564758*	QB-3/8T-U
1/2	—	564759 ^a	QB-1/2T-U
Reducing			
3/16	5/32	564797*	QB-3/16T-5/32-U
1/4	5/32	564798*	QB-1/4T-5/32-U
	3/16	564799*	QB-1/4T-3/16-U
5/16	5/32	564800*	QB-5/16T-5/32-U
	1/4	564801*	QB-5/16T-1/4-U
3/8	1/4	564802*	QB-3/8T-1/4-U
	5/16	564803*	QB-3/8T-5/16U
1/2	3/8	564804 ^a	QB-1/2T-3/8-U


^a Packaged in quantities of 5
 * Packaged in quantities of 10

Push-in L-fitting QBLF, Female thread with external hex




For Tubing O.D. [inch]		Part Number	Type
D1	D2		
UNF thread			
10-32	1/4	567764*	QBLF-10-32-UNF-1/4-U
	5/32	567765*	QBLF-10-32-UNF-5/32-U
NPT thread			
1/8	5/32	564653*	QBLF-1/8-5/32-U
	3/16	564654*	QBLF-1/8-3/16-U
	1/4	564655*	QBLF-1/8-1/4-U
1/4	5/16	564656*	QBLF-1/8-5/16-U
	5/32	564657*	QBLF-1/4-5/32-U
	3/16	564658*	QBLF-1/4-3/16-U
	1/4	564659*	QBLF-1/4-1/4-U
	5/16	564660 ^Δ	QBLF-1/4-5/16-U
3/8	3/8	564661 ^Δ	QBLF-1/4-3/8-U
	1/4	564662*	QBLF-3/8-1/4-U
	5/16	564663 ^Δ	QBLF-3/8-5/16-U
	3/8	564664 ^Δ	QBLF-3/8-3/8-U
	1/2	564665 ^Δ	QBLF-3/8-1/2-U
1/2	3/8	564666 ^Δ	QBLF-1/2-3/8-U
	1/2	564667 ^Δ	QBLF-1/2-1/2-U

Push-in T-fitting QBTL, Male thread with external hex




For Tubing O.D. [inch]		Part Number	Type
D1	D2		
UNF thread			
10-32	5/32	564706*	QBTL-10-32-UNF-5/32-U
	3/16	564707*	QBTL-10-32-UNF-3/16-U
	1/4	564708*	QBTL-10-32-UNF-1/4-U
NPT thread			
1/8	5/32	564709*	QBTL-1/8-5/32-U
	3/16	564710*	QBTL-1/8-3/16-U
1/4	1/4	564711*	QBTL-1/8-1/4-U
	5/16	564712*	QBTL-1/8-5/16-U
	3/8	564713 ^Δ	QBTL-1/8-3/8-U
1/4	5/32	564714*	QBTL-1/4-5/32-U
	3/16	564715*	QBTL-1/4-3/16-U
3/8	1/4	564716*	QBTL-1/4-1/4-U
	5/16	564717*	QBTL-1/4-5/16-U
	3/8	564718 ^Δ	QBTL-1/4-3/8-U
	1/2	564719 ^Δ	QBTL-1/4-1/2-U
	3/16	564721*	QBTL-3/8-3/16-U
1/2	1/4	564720*	QBTL-3/8-1/4-U
	5/16	564722*	QBTL-3/8-5/16-U
	3/8	564723 ^Δ	QBTL-3/8-3/8-U
	1/2	564724 ^Δ	QBTL-3/8-1/2-U
	3/8	564725 ^Δ	QBTL-1/2-3/8-U
1/2	564726 ^Δ	QBTL-1/2-1/2-U	

Push-in bulkhead connector QBS-...T




For Tubing O.D. [inch]		Part Number	Type
D1	D2		
5/32	—	564748*	QBS-5/32T-U
3/16	—	564749*	QBS-3/16T-U
1/4	—	564750*	QBS-1/4T-U
5/16	—	564751*	QBS-5/16T-U
3/8	—	564752 ^Δ	QBS-3/8T-U
1/2	—	564753 ^Δ	QBS-1/2T-U

Push-in T-fitting QBT, Male thread with external hex




For Tubing O.D. [inch]		Part Number	Type
D1	D2		
UNF thread			
10-32	5/32	533305*	QBT-10-32-UNF-5/32-U
	3/16	533306*	QBT-10-32-UNF-3/16-U
	1/4	533307*	QBT-10-32-UNF-1/4-U
NPT thread			
1/8	5/32	533309*	QBT-1/8-5/32-U
	3/16	533310*	QBT-1/8-3/16-U
	1/4	533311*	QBT-1/8-1/4-U
1/4	5/16	533312*	QBT-1/8-5/16-U
	3/8	567767 ^Δ	QBT-1/8-3/8-U
	5/32	567778*	QBT-1/4-5/32-U
3/8	3/16	533313*	QBT-1/4-3/16-U
	1/4	533314 ^Δ	QBT-1/4-1/4-U
	5/16	533315 ^Δ	QBT-1/4-5/16-U
	3/8	533316 ^Δ	QBT-1/4-3/8-U
	1/2	567768 ^Δ	QBT-1/4-1/2-U
1/2	3/16	567769*	QBT-3/8-3/16-U
	1/4	533317 ^Δ	QBT-3/8-1/4-U
	5/16	533318 ^Δ	QBT-3/8-5/16-U
1/2	3/8	533319 ^Δ	QBT-3/8-3/8-U
	1/2	533320 ^Δ	QBT-3/8-1/2-U
	3/8	533321 ^Δ	QBT-1/2-3/8-U
1/2	533321 ^Δ	QBT-1/2-1/2-U	

Push-in L-connector QBL-...T



For Tubing O.D. [inch]		Part Number	Type
D1	D2		
5/32	—	564760*	QBL-5/32T-U
3/16	—	564761*	QBL-3/16T-U
1/4	—	564762*	QBL-1/4T-U
5/16	—	564763*	QBL-5/16T-U
3/8	—	564764*	QBL-3/8T-U
1/2	—	564765 ^Δ	QBL-1/2T-U

Blanking plug QBC-...H



For Tubing O.D. [inch]		Part Number	Type
D1	D2		
5/32	—	564784*	QBC-5/32H-U
3/16	—	564785*	QBC-3/16H-U
1/4	—	564786*	QBC-1/4H-U
5/16	—	564787*	QBC-5/16H-U
3/8	—	564788*	QBC-3/8H-U
1/2	—	564789*	QBC-1/2H-U

^Δ Packaged in quantities of 5
* Packaged in quantities of 10

Push-in sleeve QBH


For Tubing O.D. [inch]		Part Number	Type
D1	D2		
Reducing			
3/16	5/32	567781*	QBH-3/16-5/32-U
1/4	5/32	567761*	QBH-1/4-5/32-U
	3/16	567782*	QBH-1/4-3/16-U
5/16	1/4	567783*	QBH-5/16-1/4-U
3/8	1/4	567762*	QBH-3/8-1/4-U
	5/16	567784*	QBH-3/8-5/16-U
1/2	3/8	567785*	QBH-1/2-3/8-U

Push-in connector QB...H, with push-in sleeve



For Tubing O.D. [inch]		Part Number	Type
D1	D2		
1/8	1/4	564810*	QB-1/8H-1/4-U
5/32	1/8	564811*	QB-5/32H-1/8-U
	1/4	564812*	QB-5/32H-1/4-U
1/4	1/8	564813*	QB-1/4H-1/8-U
	5/32	564814*	QB-1/4H-5/32-U
5/16	5/32	564815*	QB-5/16H-5/32-U
	1/4	564816*	QB-5/16H-1/4-U
3/8	1/4	564817*	QB-3/8H-1/4-U
	5/16	567779*	QB-3/8H-5/16-U
1/2	3/8	567780*	QB-1/2H-3/8-U

Push-in L-fitting QBLV, Male thread with external hex


For Tubing O.D. [inch]		Part Number	Type
D1	D2		
UNF thread			
10-32	1/8	564727*	QBLV-10-32-UNF-1/8-U
	5/32	564728*	QBLV-10-32-UNF-5/32-U
	3/16	564729*	QBLV-10-32-UNF-3/16-U
	1/4	564730*	QBLV-10-32-UNF-1/4-U
NPT thread			
1/8	5/32	564731*	QBLV-1/8-5/32-U
	3/16	564732*	QBLV-1/8-3/16-U
	1/4	564733*	QBLV-1/8-1/4-U
	5/16	564734*	QBLV-1/8-5/16-U
1/4	5/32	564735*	QBLV-1/4-5/32-U
	3/16	564736*	QBLV-1/4-3/16-U
	1/4	564737*	QBLV-1/4-1/4-U
	5/16	564738*	QBLV-1/4-5/16-U
	3/8	564739 ^A	QBLV-1/4-3/8-U
3/8	3/16	564741*	QBLV-3/8-3/16-U
	1/4	564740 ^A	QBLV-3/8-1/4-U
	5/16	564742 ^A	QBLV-3/8-5/16-U
	3/8	564743 ^A	QBLV-3/8-3/8-U
	1/2	564744 ^A	QBLV-3/8-1/2-U
1/2	5/16	564745 ^A	QBLV-1/2-5/16-U
	3/8	564746 ^A	QBLV-1/2-3/8-U
	1/2	564747 ^A	QBLV-1/2-1/2-U

Push-in T-connector QBT...T


For Tubing O.D. [inch]		Part Number	Type
D1	D2		
5/32	—	564766*	QBT-5/32T-U
3/16	—	564767*	QBT-3/16T-U
1/4	—	564768*	QBT-1/4T-U
5/16	—	564769*	QBT-5/16T-U
3/8	—	564770 ^A	QBT-3/8T-U
1/2	—	564771 ^A	QBT-1/2T-U
Reducing			
1/4	5/32	564805*	QBT-1/4T-5/32-U
5/16	1/4	564806*	QBT-5/16T-5/32-U
3/8	1/4	564807*	QBT-3/8T-1/4-U
	5/16	564808*	QBT-3/8T-5/16-U
1/2	3/8	564809 ^A	QBT-1/2T-3/8-U

Multiple distributor QBT3...T, 3 outlets


For Tubing O.D. [inch]		Part Number	Type
D1	D2		
3/16	5/32	567786 ^A	QBT3-3/16T-5/32-U
1/4	5/32	564791 ^A	QBT3-1/4T-5/32-U
5/16	5/32	564792 ^A	QBT3-5/16T-5/32-U
	3/16	564793 ^A	QBT3-5/16T-3/16-U
	1/4	564794 ^A	QBT3-5/16T-1/4-U
3/8	1/4	564795 ^A	QBT3-3/8T-1/4-U
	5/16	564796 ^A	QBT3-3/8T-5/16-U

FESTO Fitting Cart, Flexible Storage Solutions

An easy and convenient inventory system for fittings, accessories and spare parts in a safe and organized six-drawer cabinet! With a mobile base, it provides local access to needed parts anywhere in your facility.

Standard features

- 440 pound load capacity drawers
- Five 3" drawers
- One 9" drawer
- Retainer top with rubber work surface
- Key lock for security
- Mobile base and 2 convenient handles
- Fork lift tubes for easy transportation
- Lockable removable caster wheels

